

WORK^{PRO} 




SL 218 R





User Manual / Manual de Uso

SL 218R is a loudspeaker within the **ARION** series for Subwoofer functions. For this, it incorporates two 18" woofers. Constructed in 21 mm thick plywood, the paint finish protects the loudspeaker against splashing water.

Fitted with transport wheels on the bottom and metal handles as much on the side and rear for easy transportation and handling.



| | TECHNICAL DATA |
|--------------------|-------------------------------|
| Configuration | Subwoofer |
| Elements | 2x 18" woofer |
| Frequency Response | 36 Hz - 250 Hz |
| Power Output | 1400 W (RMS) - 2800 W Program |
| Impedance | 4 Ω |
| Sensitivity | 103 db (1W/1m) |
| Max. SPL | 136 dB |
| Dimensions | 1160 x 635 x 580 mm |
| Weight | 98 kg |







SL 218R es una caja acústica dentro de la serie **ARION** para funciones de subwoofer. Para ello incorpora dos altavoces de 18". Contruido en madera de contrachapado de 21 mm de grosor, su acabado en pintura protege al altavoz contra las salpicaduras de agua.

Dotado de ruedas de transporte en la parte inferior además de asas metálicas en el lateral y parte trasera para un cómodo transporte y manipulación.



| | DATOS TECNICOS |
|-------------------------|--------------------------------|
| Configuración | Subwoofer |
| Elementos | 2x 18" woofer |
| Respuesta en Frecuencia | 36 Hz - 250 Hz |
| Potencia | 1400 W (RMS) - 2800 W Programa |
| Impedancia | 4 Ω |
| Sensibilidad | 103 db (1W/1m) |
| Max. SPL | 136 dB |
| Dimensiones | 1160 x 635 x 580 mm |
| Peso | 98 kg |





EQUIPSON, S.A.

Avda. El Saler, 14 - Pol. Ind. L'Alteró, 46460 - Silla (Valencia) Spain

Tel. +34 96 121 63 01 Fax + 34 96 120 02 42

www.work.es support@work.es